



WWW.BOYTORUN.COM

Ground Solutions for Roads

Traffic Continuity · Quick Deployment · Safe Surfaces



The Continuity of Roads is the Strength of Cities



Highways are critical infrastructures for cities and industry. Heavy traffic and weather conditions can cause deformation and safety risks on road surfaces. Boytorun Kimya Sanayi A.Ş. has been offering durable flooring solutions with its Methyl Methacrylate (MMA)-based Boydur® systems since 1965, which can be quickly implemented. The goal is to make roads safe and durable without stopping traffic.





Why Boydur[®] Road Systems?

Rapid Deployment

Thanks to MMA technology, applied surfaces can be put into use in a short time.

This approach minimizes traffic interruptions in road maintenance works.

High Mechanical Strength

A system approach targeting long service life under heavy vehicle traffic, continuous tire friction, and intensive use.

Climate and UV Resistance

A ground structure that maintains its performance against rain, temperature changes, freeze-thaw cycles, and UV effects.

Safe Surface

Solutions that support driving safety with non-slip surfaces and clear markings.

Low Life Cycle Cost

A system approach that helps reduce maintenance frequency thanks to long-lasting surface performance.

Floor Repair Mortar Mixes



Repair systems that provide quick and controlled intervention for potholes, cracks, and local surface deteriorations.


- Rapid repair for potholes and surface deteriorations
- Resistance to heavy traffic loads
- Ability to open to traffic shortly after application
- Level-compatible and monolithic repair
- System approach suitable for road maintenance processes



Road Marking Paints



- Marking systems that are critical for road safety and traffic regulation.
- White and yellow lines providing high visibility
- Wear resistance under heavy traffic
- Fast drying and short commissioning time
- Long-lasting guidance and safety signs



Chemical Floor Coatings



- Safe and durable coating approach for heavily used road surfaces.
- Non-slip surface structure
- UV and climate resistance
- Long service life goal
- Surface texture supporting traffic safety
- Low maintenance requirement




Fast Floor Joint Fillers



Systems that maintain integrity at movement joints and seams on road surfaces.

- Structure supporting load transfer
- Filler system that helps reduce crack formation
- Resistance to wear and environmental effects
- Application that can be opened to traffic in a short time





Where is it used?

Boydur® road systems can be applied in many road infrastructures that require heavy traffic and security.

- Urban main arterial roads
- Intersections and turning lanes
- Bus lanes and stop surroundings
- Bridge decks and connecting roads
- Industrial area roads
- Entry-exit ramps and service roads
- Critical road areas requiring emergency interventions



WWW.BOYTORUN.COM

Boytorun Kimya Sanayi A.Ş.

İ.E.T. T. Sitesi,3. Blok,D:1, Emirgan-34467,İstanbul-TR.

Tel: 0212 229 18 29-34, Whatsapp: 0542 437 9005

E-Mail:info@boytorun.com

