



WWW.BOYTORUN.COM

# Boydur® M12

**1-HOUR CURE  
FLOOR REPAIR  
SYSTEM**




REPAIR · ANCHORAGE · INDUSTRIAL FLOORING



# Continuity in Operations & Traffic

**Boydur® M12;**  
is a professional solution system developed for  
fast floor repair, anchorage and industrial  
flooring applications.





### **DAMAGED FLOORS**

Provides fast and durable repair for damaged concrete surfaces, cracks and potholes.



### **ANCHORAGE APPLICATIONS**

Provides strong fixing solutions for urban equipment, traffic elements and industrial machinery..



### **INDUSTRIAL FLOOR COATING**

Creates durable professional surfaces resistant to heavy mechanical and chemical exposure.



## Why Boydur® M12?

- Return to traffic in approximately 1 hour
- High mechanical durability
- Fast and localized repair capability
- Indoor & outdoor resistance
- Long service life
- Easy application

## What Is It Used For?

- Pothole and crack repairs
- Anchorage applications
- Industrial flooring applications
- Rail track concrete repairs
- Curb and edge repairs
- Joint perimeter repairs
- Factory entrance ramps
- Manhole perimeter repairs
- Drain edge repairs





## Where Is Boydur® M12 Used?

Airports  
Ports & Dock Areas  
Industrial Facilities  
Warehouses & Logistics Centers  
Roads & Parking Areas  
Fuel Stations  
Railway Areas  
Chemically Exposed Areas

## Technical Specifications

- Cure Time (20°C): ~1 Hour
- Compressive Strength: 34 N/mm<sup>2</sup>
- Flexural Strength: 24 N/mm<sup>2</sup>
- Application Temperature: -10°C / +40°C
- Packaging: 18 kg (A+B Set)





WWW.BOYTORUN.COM

# Boytorun Kimya Sanayi A.Ş.

İ.E.T. T. Sitesi,3. Blok,D:1, Emirgan-34467,İstanbul-TR.

Tel: 0212 229 18 29-34, Whatsapp: 0542 437 9005

E-Mail:info@boytorun.com

