



BOYTORUN

SECTOR CATALOG

AIRPORT SOLUTIONS

Runway · Apron · Hangar · Terminal

Rapid repair, durable marking and heavy-duty flooring systems.

BOYDUR® · VIALIT · BETON ASFALTİ

SINCE 1965



CONTINUOUS OPERATIONS

WHERE DOWNTIME IS NOT AN OPTION

At airports, floor damage is more than a maintenance issue; it directly affects traffic flow, visibility and site safety.

01**SHORT CLOSURE**

Return maintenance areas to service in the shortest possible time.

02**HEAVY TRAFFIC**

Mechanical strength for aircraft, service vehicles and equipment loads.

03**CLEAR VISIBILITY**

Durable, readable markings for runways, aprons and service roads.

04**CHEMICAL EXPOSURE**

The right surface system against fuel, oil and operational chemicals.





APPLICATION AREAS

THE RIGHT SYSTEM FOR EVERY ZONE

- **Runways and aprons**
- **Taxiways**
- **Hangars and maintenance areas**
- **Terminal entrances**
- **Service roads and parking areas**
- **Refuelling zones**
- **Pedestrian safety zones**
- **Machinery and equipment foundations**



RIGHT PRODUCT GROUP

THE RIGHT SOLUTION FOR EACH TYPE OF DAMAGE

01**RAPID FLOOR REPAIR**

Boydur® M12 and Akribeton for potholes, breaks, joint edges, anchoring and heavy-duty repairs.

02**JOINTS AND CRACKS**

Akrigum, M12-A15/A125 and Vialit Refug for moving details and controlled filling.

03**ROAD MARKING**

Marker 564 and Perfekt 564; rapid-curing, high-visibility MMA marking systems.

04**INDUSTRIAL FLOORING**

Akrifleks, the CK range and Akrimortar for durable hangar, terminal and maintenance-area surfaces.

05**ANCHORING AND FOUNDATIONS**

M12 and Akribeton for securing equipment, barriers, profiles and structural components.

SINCE 1965

RAPID APPLICATION. LONG SERVICE LIFE.

We evaluate product selection together with substrate condition, traffic load, chemical exposure and the available closure window.



01

READY FOR USE IN 1 HOUR

Fast-curing MMA systems help reduce operational downtime.

02

DURABLE SURFACE

The right build-up is defined for heavy traffic, abrasion and site conditions.

03

LOW MAINTENANCE

Correct detailing and product matching reduce repeat repairs.

04

SAFE APPLICATION

Slip resistance, visibility and site acceptance criteria are considered together.

ASSESSMENT · SYSTEM SELECTION · SAMPLE · APPLICATION CONTROL

LET'S SELECT THE RIGHT SYSTEM.

Technical assessment and product selection for runway, apron, hangar and terminal projects.



BOYTORUN

CONTACT

Tuncay Artun Caddesi, I.E.T.T. Sitesi, 3. Blok, D:1

34467 Emirgan · Istanbul · Türkiye

+90 212 229 18 29 / 34

WhatsApp: +90 542 437 90 05

info@boytorun.com

www.boytorun.com



BOYDUR® · VIALIT · BETON ASFALTI